

# Kitty Couch and Granny Blanket



## **Edition and sample status**

Version 1.0 | October 13, 2026. Reading and making edition using the supplied reference-size construction. The added wording, count interpretations and optional modifications have not been physically crocheted, fitted or cleaned. Proposed changes are untested drafts, not verified errata. The complete supplied pattern pages follow the written route for photographs, original colour keys and assembly charts.

## **Size and measurement**

Couch about 24 x 16 x 12 in (61 x 40.5 x 30.5 cm); blanket about 16 in (40.5 cm) square. Measure a completed, relaxed sample across the widest outside edge and separately across the usable sleeping centre. Measure wall height from the base to rim. For couch and cube record width, depth, height and clear entrance/seat dimensions. Listed dimensions are reference targets, not independent measured results.

## Materials and starting hook

Red Heart Super Saver: seven solid-colour balls and two stripe balls; 4 mm hook, foam, quilt batting and assembly supplies. Listed gauge: 15 sc and 16 rows per 4 in (10 cm). Also use a yarn needle, scissors, measuring tape and removable markers. Keep yarn colour/strand counts exactly as the route specifies. Listed balls/metres/yards are the supplied purchasing quantities, not measured consumption for this edition or a guarantee for substitutions. Foam, batting, stuffing, pillow forms and retained fittings must suit their intended component use; check their care labels separately.

## Gauge check

Make a swatch larger than 10 cm square in the specified stitch and with the stated strand count. Let it rest and count stitches and rows in the middle 10 cm without stretching. Trial the intended label-compatible cleaning on a spare sample, let it dry and measure again. Change hook size and reswatch if the listed gauge is not met. Circle diameter and finished interior measurements still need direct checks; do not calculate a round bed diameter from linear stitch gauge alone. For couch also make the alternating sc/dc texture; for granny square measure the five-round square. Record both pre- and post-care dimensions.

## Size route and adjustment

The reference couch is 24 x 16 x 12 inches with a 16-inch blanket. Cut or obtain the actual foam first and trial the texture. For an odd-count panel, starting chain=required odd stitch count+1; estimate stitches from measured width times texture stitches per cm, then round to an odd count. Shape reductions must remain paired and all matching panel edges need new plans. This guide supplies the full reference-size route, not a tested custom couch. Blanket size can be changed by complete square rows/columns, after measuring a blocked square plus seam.

## US terms and count rules

ch=chain; sc=single crochet; dc=double crochet; hdc=half double crochet; tr=treble crochet; sl st=slip stitch; st=stitch; RS/WS=right/wrong side; MC=main colour. An increase is 2 sc or 2 dc in one base stitch, as specified. sc2tog: draw up a loop in each of next 2 stitches, yarn over and pull through all 3 loops; it consumes 2 and makes 1. For dc: yarn over, insert/pull up loop, yarn over/pull through 2 twice. For hdc: yarn over, insert/pull up loop, yarn over/pull through all 3. For tr: yarn over twice, insert/pull up loop, pull through 2 loops three times. Front/back post dc passes around the named stitch post from the indicated face, instead of its top loops. Keep beginning chains counted only where expressly stated. A spiral uses a first-stitch marker and no joining slip stitch; joined rounds use their stated join. Do not count a joining slip stitch as an extra stitch.

## Count review before making

Part B cushions omit the repeat to match Part A; the added route mirrors its 13-inch length. Back/Top final WS row omits the final sc in its repeat; the alternating-texture route retains it. Blanket round 4 joins to first sc, not ch 3. Foam slab printed 4 in [10 in] should read 4 in [10 cm]. All additions are untested interpretations.

## Texture and foundation rule

Texture row A: chain 2 (not a stitch), dc in the first sc, then repeat (sc in next dc, dc in next sc) to the end.  
Texture row B: chain 1 (not a stitch), sc in the first dc, then repeat (dc in next sc, sc in next dc) to the end. Turn after each row. Maintain the specified odd stitch count. For a panel foundation chain  $n+1$ , sc in the second chain, then alternate dc and sc over the remaining chains, ending with sc:  $n$  stitches. Keep chain 2 uncounted throughout all upholstery panels. Fit a texture swatch to the actual foam; the listed gauge is single crochet, not an independently verified upholstery gauge.

## Seat cushions: four shaped panels

Make two Part A and two Part B with grey MC. Foundation: chain 46 for 45 stitches. Work texture rows A/B to 3 in(7.5 cm), ending on an A/right-side row. Part A shaping: on next wrong-side row slip stitch over first 12 stitches, chain 1, then work the remaining 33 stitches beginning sc, dc, sc and ending sc; turn. Continue A/B at 33 stitches until total length from foundation is 13 in(33 cm); fasten off. Part B shaping: work wrong-side texture row B over first 33 stitches only, leaving last 12 unworked; turn. Continue A/B at 33 until SAME 13-inch total length. That repeat-to-length is proposed to fill the source omission. Align A/B wrong sides together with opposite cut-out shapes matched, insert three matching batting layers per cushion and sc through both panel edges around, 3 sc at each corner. Fasten off; make second cushion with the other face outward. Remove temporary pins.

## Base strip and bottom

Base strip: chain 16, 15 stitches, then texture rows A/B until 80 in(203 cm) long. Fasten off. Bottom: chain 92, 91 stitches, then texture rows A/B until 16 in(40.5 cm) long. Fasten off. Label each part and verify its fit before assembly.

## Combined seat and back-cushion panel

Chain 92 and foundation 91 stitches. Work A/B until 3 in(7.5 cm), ending on a wrong-side B row. On right side, slip stitch over 12 stitches; chain 2, work dc first then sc, dc alternately over 67 stitches, leaving final 12 unworked. Turn. Continue B/A at 67 stitches until total length 16 in(40.5 cm), ending on right side. Restore one side on next wrong-side row: chain 13, sc second chain, dc next, (sc, dc) five times over remaining ten new chains, then texture over 67 old stitches starting sc, 79 total. Restore other side on next right-side row: chain 14, dc third chain, sc next, (dc, sc) five times, then texture over 79 old stitches starting dc, 91 total. The unused beginning chain 2 is not a stitch. Continue B/A until total length 21 in(53.5 cm). Fasten off.

## Back/top, armrests and end panels

Back/top: chain 116, 115 stitches. Work A/B to 8 in(20.5 cm), ending wrong side. Next right-side row: slip stitch first 12, chain 1, work the middle 91 stitches in alternating sc/dc beginning and ending sc, leaving last 12 unworked. Turn. Next row: chain 2 and alternate dc/sc at 91; following row: chain 1 and alternate sc/dc at 91, retaining the final sc missing in the printed repeat. Repeat until total length 11 in(28 cm); fasten off. Armrests, make 2: chain 38, 37 stitches; work A/B to 9 in(23 cm). Armrest ends, make 2: chain 12, 11 stitches; work A/B to 3 in(7.5 cm). Fasten off each.

## Ruffle and foam

Ruffle in stripe A: chain 212; hdc in third chain and all remaining chains, 210 stitches; turn. Row 2: chain 2 uncounted, 3 dc per hdc, 630; turn. Row 3: chain 1 uncounted, dc in each of 630 stitches. Fasten off. Foam: from 3 in(7.5 cm) thickness cut one back 8 x 24 in(20 x 61 cm), two arms 3 x 10 in(7.5 x 25.5 cm). Base slab D is 4 in(10 cm) thick, 16 x 24 in(40.5 x 61 cm); the source 10-inch bracket is a unit typo. Match the foam diagram retained later: back along rear of slab, arms at sides in front of back. Use foam-compatible adhesive according to its label, fully cured before fitting the crochet; do not infer adhesive or foam washability.

## Sofa cover assembly

Use the retained coloured assembly diagram to identify mating edges. Sew Back/Top to Back Cushion and Seat at purple edge; sew Armrests to Seat at blue edges; close Back corners at red; sew Back to Back Cushion at grey; join arms to Back Cushion/Back at orange/yellow; attach arm ends to arms and seat at pink. Attach the 80-inch base strip around the perimeter at green. Sew ruffle to base across front and sides. Fit the assembled cover over the foam foundation. The source permits yarn tacks or hot glue to secure it; follow actual adhesive instructions if used. Sew Bottom around the lower base edge. Keep all foam and adhesive fully enclosed, remove every pin, and check the furniture remains stable on a level floor.

## Sixteen-square granny blanket

Make 16 squares in stripe A using 4 mm starting hook. Chain 4, join ring. Round 1: chain 3 as first dc, 2 dc in ring, chain 2; repeat(3 dc, chain 2) three times; join top of chain 3: 12 dc, 4 corners. Round 2: slip stitch to first corner; chain 3, 2 dc, chain 2, 3 dc in that corner; repeat(chain 1, 3 dc, chain 2, 3 dc in next corner) three times; chain 1, join: 24 dc. Round 3: move to corner; make same corner start, chain 1, 3 dc in next side space; repeat(chain 1, 3 dc, chain 2, 3 dc in corner, chain 1, 3 dc in side space) three times; chain 1, join: 36 dc. Round 4: chain 1 uncounted; sc in every dc and each side chain 1 space, put(sc, chain 2, sc) in each corner. There are 36 dc+8 side spaces+8 corner sc=52 sc and 4 corner chain 2 spaces. Join FIRST SC, not beginning chain 3, and fasten off. Arrange 4 x 4, sew squares into four strips and sew strips together. With grey MC around entire blanket, sc evenly along edge with 3 sc per outer corner; join first sc and fasten off. Record actual seam/edge pickup count rather than assume a tested total.

## Final assembly and use checks

Weave in every tail securely with no accessible long loop. Remove ALL pins and markers. Check fabric, joins and all decorations by hand before introducing the bed. Put furniture/cube on a level stable floor and keep the entrance clear. Verify your cat can enter, turn and leave; observe the first use. No durability, load, attachment, stability or recipient-use test has been completed for this edition. These resting projects are not chew toys. Remove the item if yarn, decoration, foam or filling becomes accessible or damaged.

## Care and repair

Follow labels for every yarn and internal component. A washable yarn does not establish that glued foam, batting, stuffing or the whole bed is machine-washable. Use the spare-sample care result to plan cleaning; reshape only as the components permit and dry every layer fully. Cube cover and pillow can be removed as their construction allows. Check hidden filling and seams before reuse. If the base ripples, check round counts and gauge; if it cups too early, check missed increases. If wall or cover seams strain, check paired counts and actual dimensions rather than pulling harder. Reseat stuffing before closing a lumpy body; repair loose trim before pet use.

## Sample record

Record yarn/fibre/colour, hook, strands, gauge, final round and counts, finished outside and inside dimensions, wall/entrance size, yarn used, seam pickups, fill/foam details, cleaning method and result, and every modification. Only a physical sample and use/care checks can establish that a proposed count or fitting change works as intended.

## Supporting care guidance

General guidance checked October 13, 2026: quiet, accessible hiding/resting spaces and free entry/exit are described by Cats Protection: <https://www.cats.org.uk/help-and-advice/cat-behaviour/cats-hiding> . PDSA advises keeping loose wool, thread, string and swallowable items out of reach: <https://www.pdsa.org.uk/pet-health-and-advice/pet-health-hub/other-veterinary-advice/my-cat-has-eaten-something-harmful> . These sources do not test or certify this pattern.

## Complete visual reference pages

The full supplied pages begin next with their own page numbering. Keep them alongside the written route to compare photographs, colour keys, joining geometry and the opening/foam diagrams. Where text and diagram disagree, follow the explicitly marked proposed route only when sampling; the count review records the difference.



Looking for the original pattern? You can find it [here](#).

## MATERIALS

**Red Heart® Super Saver®** (Solids: 7 oz/198 g; 364 yds/333 m Stripes: 5 oz/141 g; 236 yds/215 m)

**Main Color (MC)** Dusty Gray (0340) **7 balls**

**Contrast A** Retro Stripe (4971) **2 balls**

Size U.S. G/6 (4 mm) Susan Bates® Silvalume® crochet hook **or size needed to obtain gauge**. Susan Bates® stitch marker. Susan Bates® yarn needle. 3" [7.5 cm] thick piece of foam 16" x 24" [40.5 x 61 cm]. 4" [10 cm] thick piece of foam 16" x 24" [40.5 x 61 cm]. Quilt batting. Hot glue gun and glue sticks.



CROCHET | SKILL LEVEL: **EASY**

## ABBREVIATIONS

**Approx** = Approximately

**Beg** = Begin(ning)

**Ch** = Chain(s)

**Dc** = Double crochet

**Hdc** = Half double crochet

**Rem** = Remain(ing)

**Rep** = Repeat

**Rnd(s)** = Round(s)

**RS** = Right side

**Sc** = Single crochet

**Sl st** = Slip stitch

**Sp(s)** = Space(s)

**St(s)** = Stitch(es)

**Tog** = Together

**WS** = Wrong side

## MEASUREMENTS

**Blanket:** Approx 16" [40.5 cm] square.

**Couch:** Approx 24" [61 cm] long x 16" [40.5 cm] deep x 12" [30.5 cm] tall.

## GAUGE

15 sc and 16 rows = 4" [10 cm].

## INSTRUCTIONS

### Notes:

- Ch 3 at beg of row/rnd counts as dc.
- Ch 2 at beg of row/rnd **does not** count as st.
- Join all rnds with sl st to top of ch 3.

## BLANKET (Make 16 motifs).

*See Diagram on page 2.*

With A, ch 4. Join with sl st to first ch to form ring.

**1st rnd:** Ch 3. 2 dc in ring. Ch 2. (3 dc in ring. Ch 2) 3 times. Join.


**2nd rnd:** Sl st in each of next 2 dc and next ch-2 sp. Ch 3. (2 dc. Ch 2. 3 dc) all in first ch-2 sp. [(Ch 1. 3 dc. Ch 2. 3 dc) all in next ch-2 sp] 3 times. Ch 1. Join.

**3rd rnd:** Sl st in each of next 2 dc and next ch-2 sp. Ch 3. (2 dc. Ch 2. 3 dc) all in first corner ch-2 sp. Ch 1. 3 dc in next ch-1 sp. [(Ch 1. 3 dc. Ch 2. 3 dc) all in next corner ch-2 sp. Ch 1. 3 dc in next ch-1 sp] 3 times. Ch 1. Join.

**4th rnd:** Ch 1. 1 sc in each of first 3 dc. (1 sc. Ch 2. 1 sc) all in first corner ch-2 sp. \*(1 sc in each of next 3 dc. 1 sc in next ch-1 sp) twice.\*\* 1 sc in each of next 3 dc. (1 sc. Ch 2. 1 sc) all in next corner ch-2 sp. Rep from \* twice more, then from \* to \*\* once. Join. Fasten off.

## Assembly

Sew Squares tog into 4 Strips, with 4 Squares in each Strip. Sew Strips tog.



GRANNY SQUARE MOTIF

### STITCH KEY

- = chain (ch)
- = slip stitch (sl st)
- ⌋ = double crochet (dc)
- ⌋ = single crochet (sc)

**Edging:** With RS facing, join MC with sl st to any corner ch-2 sp. Work 1 rnd of sc evenly around Blanket, working 3 sc in each corner. Join with sl st to first sc. Fasten off.

## COUCH

**Couch Cushions – Part A** (make 2)  
\*\*With MC, ch 46.

**1st row:** (WS). 1 sc in 2nd ch from hook. \*1 dc in next ch. 1 sc in next ch. Rep from \* to end of chain. Turn. 45 sts.

**2nd row:** (RS). Ch 2. 1 dc in first sc. \*1 sc in next dc. 1 dc in next sc. Rep from \* to end of row. Turn.


**3rd row:** Ch 1. 1 sc in first dc. \*1 dc in next sc. 1 sc in next dc. Rep from \* to end of row. Turn.  
Rep 2nd and 3rd rows until work from beg measures 3" [7.5 cm], ending on a RS row.\*\*

**Next row:** (WS). Sl st in each of first 12 sts. Ch 1. 1 sc in next dc. \*1 dc in next sc. 1 sc in next dc. Rep from \* to end of row. Turn. 33 sts.

**Next row:** Ch 2 (does not count as st). 1 dc in first sc. \*1 sc in next dc. 1 dc in next sc. Rep from \* to end of row. Turn.

**Next row:** Ch 1. 1 sc in first dc. \*1 dc in next sc. 1 sc in next dc. Rep from \* to end of row. Turn.

Rep last 2 rows until work from beg measures 13" [33 cm]. Fasten off.




**Couch Cushions – Part B** (make 2)  
Work from \*\* to \*\* as given for Couch Cushions – Part A.

**Next row:** (WS). Ch 1. 1 sc in first dc. \*1 dc in next sc. 1 sc in next dc. Rep from \* to last 12 sts. **Turn.** Leave rem sts unworked.

**Next row:** Ch 2. 1 dc in first sc. \*1 sc in next dc. 1 dc in next sc. Rep from \* to end of row. Turn. 33 sts.

**Next row:** Ch 2. 1 sc in first dc. \*1 dc in next sc. 1 sc in next dc. Rep from \* to end of row. Turn.



## Finishing Couch Cushions

Cut 6 pieces of Quilt batting to match dimensions of Cushion.

With WS facing each other, place one Part A and one Part B tog.

With RS of Part A facing, join MC with sl st to any corner of Cushion. Ch 1. Working through both thicknesses, work sc evenly around perimeter of Cushion, working 3 sc in each corner, stopping to insert 3 layers of quilt batting into Cushion before joining last side. Join with sl st to first sc. Fasten off.

Rep for second cushion, with RS of Part B facing.

## Base of Couch

With MC, ch 16.

**1st row:** (WS). 1 sc in 2nd ch from hook. \*1 dc in next ch. 1 sc in next ch. Rep from \* to end of chain. Turn. 15 sts.

**2nd row:** (RS). Ch 2. 1 dc in first sc. \*1 sc in next dc. 1 dc in next sc. Rep from \* to end of row. Turn.

**3rd row:** Ch 1. 1 sc in first dc. \*1 dc in next sc. 1 sc in next dc. Rep from \* to end of row. Turn.

Rep last 2 rows until work from beg measures 80" [203 cm]. Fasten off.

## Couch Seat and Back Cushion

With MC, ch 92.

**1st row:** 1 sc in 2nd ch from hook. \*1 dc in next ch. 1 sc in next ch. Rep from \* to end of chain. Turn. 91 sts.

**2nd row:** (RS). Ch 2. 1 dc in first sc. \*1 sc in next dc. 1 dc in next sc. Rep from \* to end of row. Turn.

**3rd row:** Ch 1. 1 sc in first dc. \*1 dc in next sc. 1 sc in next dc. Rep from \* to end of row. Turn.

Rep 2nd and 3rd rows until work from beg measures 3" [7.5 cm], ending on a WS row.

**Next row:** (RS). Sl st in each of first 12 sts. Ch 2 (**does not** count as st). 1 dc in next sc. \*1 sc in next dc. 1 dc in next sc. Rep from \* to last 12 sts.

**Turn.** Leave rem sts unworked.

**Next row:** Ch 1. 1 sc in next dc. \*1 dc in next sc. 1 sc in next dc. Rep from \* to end of row. Turn. 67 sts.

**Next row:** (RS). Ch 2. 1 dc in first sc. \*1 sc in next dc. 1 dc in next sc. Rep from \* to end of row. Turn.

Rep last 2 rows until work from beg measures 16" [40.5 cm], ending on a RS row.

## Increase rows:


**1st row:** (WS). Ch 13. 1 sc in 2nd ch from hook. 1 dc in next ch. (1 sc in next ch. 1 dc in next ch) 5 times. 1 sc in first dc. \*1 dc in next sc. 1 sc in next dc. Rep from \* to end of row. Turn.

**2nd row:** (RS). Ch 14. 1 dc in 3rd ch from hook. 1 sc in next ch. (1 dc in next ch. 1 sc in next ch) 5 times. 1 dc in next sc. \*1 sc in next dc. 1 dc in next sc. Rep from \* to end of row. Turn. 91 sts.

**3rd row:** Ch 1. 1 sc in first dc. \*1 dc in next sc. 1 sc in next dc. Rep from \* to sc end of row. Turn.

**4th row:** (RS). Ch 2. 1 dc in first sc. \*1 sc in next dc. 1 dc in next sc. Rep from \* to end of row. Turn.

Rep last 2 rows until work from beg measures 21" [53.5 cm]. Fasten off.



## Back of Couch and Top

With MC, ch 116.

**1st row:** (RS). 1 sc in 2nd ch from hook. \*1 dc in next ch. 1 sc in next ch. Rep from \* to end of chain. Turn. 115 sts.

**2nd row:** Ch 2. 1 dc in first sc. \*1 sc in next dc. 1 dc in next sc. Rep from \* to end of row. Turn.


**3rd row:** Ch 1. 1 sc in first dc. \*1 dc in next sc. 1 sc in next dc. Rep from \* to end of row. Turn.

Rep last 2 rows until work from beg measures 8" [20.5 cm], ending on a WS row.

**Next row:** (RS). Sl st in each of first 12 sts. Ch 1. 1 sc in next dc. \*1 dc in next sc. 1 sc in next dc. Rep from \* to last 12 sts. **Turn.** Leave rem sts unworked.

**Next row:** Ch 2 (**does not** count as st). 1 dc in first sc. \*1 sc in next dc. 1 dc in next sc. Rep from \* to end of row. Turn. 91 sts.

**Next row:** Ch 1. 1 sc in first dc. \*1 dc in next sc. Rep from \* to end of row. Turn. Rep last 2 rows until work from beg measures 11" [28 cm]. Fasten off.



## Armrests (make 2)

With MC, ch 38.

**1st row:** (RS). 1 sc in 2nd ch from hook. \*1 dc in next ch. 1 sc in next ch. Rep from \* to end of chain. Turn. 37 sts.

**2nd row:** Ch 2. 1 dc in first sc. \*1 sc in next dc. 1 dc in next sc. Rep from \* to end of row. Turn.

**3rd row:** Ch 1. 1 sc in first dc. \*1 dc in next sc. 1 sc in next dc. Rep from \* to end of row. Turn.

Rep last 2 rows until work from beg measures 9" [23 cm]. Fasten off.

## Armrests Ends (make 2)

With MC, ch 12.

**1st row:** 1 sc in 2nd ch from hook. \*1 dc in next ch. 1 sc in next ch. Rep from \* to end of chain. Turn. 11 sts.

**2nd row:** (RS). Ch 2. 1 dc in first sc. \*1 sc in next dc. 1 dc in next sc. Rep from \* to end of row. Turn.

**3rd row:** Ch 1. 1 sc in first dc. \*1 dc in next sc. 1 sc in next dc. Rep from \* to end of row. Turn.

Rep last 2 rows until work from beg measures 3" [7.5 cm]. Fasten off.



## Dust Ruffle

With A, ch 212.

**1st row:** 1 hdc in 3rd ch from hook. 1 hdc in each ch to end of chain. Turn. 210 sts.

**2nd row:** Ch 2. 3 dc in each hdc to end of row. Turn. 630 dc.

**3rd row:** Ch 1. 1 dc in each dc to end of row. Fasten off.

## Bottom

With MC, ch 92.

**1st row:** 1 sc in 2nd ch from hook. \*1 dc in next ch. 1 sc in next ch. Rep from \* to end of chain. Turn. 91 sts.

**2nd row:** (RS). Ch 2. 1 dc in first sc. \*1 sc in next dc. 1 dc in next sc. Rep from \* to end of row. Turn.

**3rd row:** Ch 1. 1 sc in first dc. \*1 dc in next sc. 1 sc in next dc. Rep from \* to end of row. Turn.

Rep last 2 rows until work from beg measures 16" [40.5 cm]. Fasten off.

## Foam Foundation

**Note:** When cutting foam, using a serrated (bread) knife will allow greater control.


Cut the following pieces from 3" [7.5 cm] thick foam:

## Piece A: Back


One piece measuring 8" x 24" [20 x 61 cm].

## Pieces B and C: Armrests

Two pieces measuring 3" x 10" [7.5 x 25.5 cm].



Using hot glue gun, assemble pieces on 4" [10"] slab of foam (D) measuring 16" x 24" [40.5 x 61 cm] as shown in diagram.



## Couch Cover Assembly

See Assembly Diagram.

Sew Back/Top section to Back Cushion and Seat as indicated in purple.

Sew Armrests to Seat as indicated in blue.

Sew corners of Back as indicated in red.

Sew Back to Back Cushion as indicated in grey.

Sew Armrest to Back Cushion and Back as indicated in orange and yellow.



Sew Armrest Ends to Armrest and seat as indicated in pink.

Sew Base to perimeter of Couch as indicated in green.

Sew Dust Ruffle to Base as shown in photo, covering front and sides. Affix assembled Couch Cover to foam foundation. Tack with yarn and yarn needle or hot glue if needed to secure cover.

Sew Bottom to lower edge of Base.

## Assembly Diagram

